

# REFISSA®

Tretinoin Cream, USP (Emollient) 0.05%



# ReFissa® Tretinoin Cream, USP (Emollient) 0.05%

---

ReFissa® is a prescription product that contains the active ingredient tretinoin 0.05% (a retinoid) in an emollient cream base.

## INDICATION

**FDA approved** as an adjunctive agent for use in the mitigation of fine wrinkles, mottled hyperpigmentation, and tactile roughness of facial skin.



# ReFissa® Tretinoin Cream, USP (Emollient) 0.05%

---

## BENEFITS

- Prescription strength 0.05% tretinoin
- FDA approved as an adjunctive agent for use in the mitigation of fine wrinkles, mottled hyperpigmentation, and tactile roughness of facial skin
- Emollient base helps minimize the redness and over-drying often caused by retinoids (improves compliance)
- Ideal choice for mature, dry skin types (e.g. sun damage, texture concerns)
- Supports healthy skin barrier



# ReFissa® Tretinoin Cream, USP (Emollient) 0.05%

---

## KEY INGREDIENTS

- **Tretinoin USP (0.05%):** Prescription strength active
- **Emollient base (light mineral oil, hydroxyoctacosanyl hydroxystearate):**  
Provides skin conditioning and lipid restoration benefits
- **Sorbitol solution:** Restores hydration and helps support healthy skin barrier function



# ReFissa® Tretinoin Cream, USP (Emollient) 0.05%

## DIRECTIONS FOR USE

ReFissa® should be applied to the face once a day before retiring, using only enough to cover the entire affected area lightly. Patients should gently wash their faces with a mild soap, pat the skin dry, and wait 20 to 30 minutes before applying ReFissa®. The patient should apply a pea-sized amount of cream to cover the entire face lightly. Special caution should be taken when applying the cream to avoid the eyes, ears, nostrils, and mouth.

**CAUTION:** ReFissa® should be used as part of a broad skin care program. Avoid direct sunlight (by using protective clothing and sunscreens with a minimum SPF of 15). Do not use if pregnant or lactating.

**NOTE:** May cause a warmth or slight stinging when first applied. Redness, itching, burning, stinging, dryness and peeling skin have been reported. These symptoms are most often mild and are most common when treatment is started.

### SIZE

20 gm tube

### pH

N/A (water in oil emulsion)



# ReFissa® Tretinoin Cream, USP (Emollient) 0.05%

<b>INGREDIENT</b>	<b>BENEFIT/FUNCTION</b>
Tretinoin USP, 0.05% (claimed concentration)	Rx active Indicated for mitigation (palliation) of fine facial wrinkles, mottled hyperpigmentation and tactile roughness
Hydroxyoctacosanyl hydroxystearate Light mineral oil, NF	Lipid replenishment; skin barrier function repair and restoration
Stearoxytrimethylsilane and stearyl alcohol Dimethicone	Sensory/aesthetic modifiers
Sorbitol solution, USP	Hydration restoration, replenishment and retention; humectant

THANK YOU